

Type DE 70

General Description

The type DE 70 differential pressure transmitter uses a capacitance type sensor and modern microprocessor technology. It is ideally suited for differential pressure applications such as measurement of

- positive pressure,
- differential pressure,
- liquid level

where a high degree of accuracy is required.

It is optionally available in versions certified for use in hazardous locations.

Features

- robust, wear resistant sensor
- high resistance to corrosion
- low hysteresis
- not affected by fouling of pressure chambers
- capacitance type silicon sensor
- microprocessor technology


Principles of Operation

The type DE 70 differential pressure transmitter uses a silicon capacitance sensor with a bridge measuring circuit, the output of which changes when the pressure changes.

Modern microprocessor technology is used to convert the bridge output to a standard 4-20 mA signal, which permits the measured value to be transmitted over long distances. A hart interface is also available, using an optional communication module installed in the transmitter. With the hart interface, digitally transmitted pressure measurements, as well as the transmitter's set-up data can be read very accurately by simply connecting a compatible terminal device at any point along the length of the signal output loop. Also, the terminal device can also be used to re-configure the transmitter's set-up parameters: locally, or from a remote location.



The Measuring System



The DE 70 transmitter uses a precision silicon capacitance type pressure sensing element, which is manufactured under stringently controlled conditions. This sensor is rugged, resistant to effects of fatigue and overloading, and unaffected by pressure fluctuations. The sensor and microprocessor based signal proccessing ensure the highest possible accuracy and stability.



Specifications

_	
Ge	

Electrical

Connections

Electrical connections_______ Internal terminal block
Pressure connection______ 2x 1/4" NPT
Spül- und Entlüftungsanschluss_____ Optional

Materials

Parts in contact with media ______ Stainless steel 316 L (1.4404)

Seals ______ Viton. Optional: Teflon


Electronics housing _____ Aluminium, surface coated


CE marking ______ For the product DE70 it is hereby declared that it corresponds with theEMC Directive 2004/108/EC and is tested in compliance with the fharmonic standards EN 61326-1 : 2006 and EN 61326-2-3 : 2006.

Communication Module option -K installed)



Dimensional Drawings





Electrical connections

