

For the product described as follows

Product designation Diaphragm pressure gauge

(without contact device)

Type designation MA15 ... 0A

it is hereby declared that it corresponds with the basic requirements specified in the following designated directives:

2014/34/EU ATEX Directive

The products were tested in compliance with the following standards.

Explosive atmospheres (ATEX)

DIN EN 60079-0:2014-06 Explosive atmospheres - Part 0: Equipment - General requirements EN 60079-0:2012 + A11:2013

DIN EN 60079-31:2014-12 Explosive atmospheres - Part 31: Equipment dust ignition protection by enclosure "t"

EN 60079-31:2014

DIN EN ISO 80079-36:2016-12 Explosive atmospheres - Part 36: Non-electrical equipment for explosive atmospheres - Basic method and requirements

DIN EN ISO 80079-37:2016-12 Explosive atmospheres - Part 37: Non-electrical equipment for explosive atmospheres - EN ISO 80079-37:2016 Explosive atmospheres - Part 37: Non-electrical equipment for explosive atmospheres - Non-electrical type of protection constructional safety "c", control of ignition sources "b", li-

quid immersion "k"

Manufacturer FISCHER Mess- und Regeltechnik GmbH

Bielefelder Str. 37a

32107 Bad Salzuflen, Germany

Tel. +49 (0)5222 974 0

Documentation representative Mr. Torsten Malischewski

B.Sc.

Development department

The devices bear the following marking:

ollowing marking: 2D Ex h IIIC T95°C Db

Bad Salzuflen G. Gödde

13 March 2018 Managing director





For the product described as follows

Product designation Diaphragm pressure gauge

(with contact desvice KE ## S/M ##### H2)

Type designation MA15 ... 10

it is hereby declared that it corresponds with the basic requirements specified in the following designated directives:

2014/35/EU Low Voltage Directive
2011/65/EU RoHS Directive

The products were tested in compliance with the following standards.

Low Voltage Directive (LVD)

DIN EN 61010-1:2011-07 Safety requirements for electrical equipment for measurement, control and laboratory use -

EN 61010-1:2010 Part 1: General requirements

RoHS Directive (RoHS 2)

DIN EN 50581:2013-02 Technical documentation for the assessment of electrical and electronic products with re-

EN 50581:2012 spect to the restriction of hazardous substances

Also they were subjected to the conformity assessment procedure "Internal production control".

The object of the declaration described above is in conformity with Directive 2011/65/EU of the European Parliament and of the Council of 8 June 2011 on the restriction of the use of certain hazardous substances in electrical and electronic equipment.

Sole responsibility for the issue of this declaration of conformity in relation to fulfilment of the fundamental requirements and the production of the technical documents is with the manufacturer.

Manufacturer FISCHER Mess- und Regeltechnik GmbH

Bielefelder Str. 37a

32107 Bad Salzuflen, Germany

Tel. +49 (0)5222 974 0

Documentation representative Mr. Torsten Malischewski

B.Sc.

Development department

The devices bear

Bad Salzuflen

the following marking:

G. Gödde

13 March 2018 Managing director





For the product described as follows

Diaphragm pressure gauge **Product designation**

(with snap action contacts KE ## M ## 0B4H2)

MA15 ... 1B Type designation

it is hereby declared that it corresponds with the basic requirements specified in the following designated directives:

Low Voltage Directive 2014/34/EU ATEX Directive 2011/65/EU RoHS Directive

The products were tested in compliance with the following standards.

Low Voltage Directive (LVD)

DIN EN 61010-1:2011-07 Safety requirements for electrical equipment for measurement, control and laboratory use -

EN 61010-1:2010 Part 1: General requirements

Explosive atmospheres (ATEX)

DIN EN 60079-0:2014-06 Explosive atmospheres - Part 0: Equipment - General requirements EN 60079-0:2012 + A11:2013

DIN EN ISO 80079-36:2016-12 Explosive atmospheres - Part 36: Non-electrical equipment for explosive atmospheres - Ba-

EN ISO 80079-36:2016 sic method and requirements

DIN EN ISO 80079-37:2016-12 Explosive atmospheres - Part 37: Non-electrical equipment for explosive atmospheres -

EN ISO 80079-37:2016 Non-electrical type of protection constructional safety "c", control of ignition sources "b", li-

quid immersion "k"

The build-in contact device as an 'standard electrical equipment' meets the requirements of paragraph 3.5.2 of

the following standard DIN EN 60079-14:2014-10

Explosive atmospheres - Part 14: Electrical installations design, selection and erection EN 60079-14:2014

DIN EN 60079-14 Corrigendum 1:2016-06 Corrigendum to DIN EN 60079-14

EN 60079-14:2014/AC:2016

RoHS Directive (RoHS 2)

DIN EN 50581:2013-02 Technical documentation for the assessment of electrical and electronic products with re-EN 50581:2012

spect to the restriction of hazardous substances

The dossier is retained under file no. 8000389448 at the notified body NB0044:

TÜV NORD CERT GmbH

Langemarckstraße 20 D-45141 Essen, Germany

Also they were subjected to the conformity assessment procedure "Internal production control".

The object of the declaration described above is in conformity with Directive 2011/65/EU of the European Parliament and of the Council of 8 June 2011 on the restriction of the use of certain hazardous substances in electrical and electronic equipment.

Sole responsibility for the issue of this declaration of conformity in relation to fulfilment of the fundamental requirements and the production of the technical documents is with the manufacturer.

Manufacturer FISCHER Mess- und Regeltechnik GmbH

Bielefelder Str. 37a

32107 Bad Salzuflen, Germany

Tel. +49 (0)5222 974 0

Documentation representative Mr. Torsten Malischewski

Development department

The devices bear the following marking:

G. Gödde **Bad Salzuflen**

14 Feb 2018 Managing director

2/2



For the product described as follows

Diaphragm pressure gauge **Product designation**

(with inductive contacts KE ## I ## 0C0H2)

Type designation

it is hereby declared that it corresponds with the basic requirements specified in the following designated directives:

2014/34/EU

ATEX Directive

MA15 ... 1C

2011/65/EU

RoHS Directive

The products were tested in compliance with the following standards.

Explosive atmospheres (ATEX)

DIN FN 60079-0:2014-06

EN 60079-0:2012 + A11:2013

Explosive atmospheres - Part 0: Equipment - General requirements

DIN EN 60079-31:2014-12

Explosive atmospheres - Part 31: Equipment dust ignition protection by enclosure "t"

EN 60079-31:2014

DIN EN ISO 80079-36:2016-12

EN ISO 80079-36:2016

Explosive atmospheres - Part 36: Non-electrical equipment for explosive atmospheres - Ba-

sic method and requirements

DIN EN ISO 80079-37:2016-12

EN ISO 80079-37:2016

Explosive atmospheres - Part 37: Non-electrical equipment for explosive atmospheres -Non-electrical type of protection constructional safety "c", control of ignition sources "b", li-

quid immersion "k"

RoHS Directive (RoHS 2)

DIN EN 50581:2013-02

EN 50581:2012

Technical documentation for the assessment of electrical and electronic products with re-

spect to the restriction of hazardous substances

The dossier is retained under file no. 8000389448 at the notified body NB0044:

TÜV NORD CERT GmbH

Langemarckstraße 20 D-45141 Essen, Germany

The built-in inductive proximity switches are EC type certified: PTB 99 ATEX 2219 X

Also they were subjected to the conformity assessment procedure "Internal production control".

The object of the declaration described above is in conformity with Directive 2011/65/EU of the European Parliament and of the Council of 8 June 2011 on the restriction of the use of certain hazardous substances in electrical and electronic equipment.

Sole responsibility for the issue of this declaration of conformity in relation to fulfilment of the fundamental requirements and the production of the technical documents is with the manufacturer.

Manufacturer FISCHER Mess- und Regeltechnik GmbH

Bielefelder Str. 37a

32107 Bad Salzuflen, Germany

Tel. +49 (0)5222 974 0

Documentation representative Mr. Torsten Malischewski

B.Sc.

Development department

The devices bear the following marking:

CE

(a) II 2G Ex h IIC T4 Gb

€2 H 2D Ex h IIIC T95°C Db

Bad Salzuflen G. Gödde

14 Feb 2018 Managing director





For the product described as follows

Product designation Diaphragm pressure gauge

(with transmitter for angular position KE0905#9)

Type designation MA15 ... 20

it is hereby declared that it corresponds with the basic requirements specified in the following designated directives:

2014/30/EU EMC Directive
2011/65/EU RoHS Directive

The products were tested in compliance with the following standards.

Electromagnetic compatibility (EMC)

DIN EN 61000-6-2:2006-03 Electromagnetic compatibility (EMC) - Part 6-2: Generic standards - Immunity for industrial

EN 61000-6-2:2005 environments

DIN EN 61000-6-2 **Corrigendum:2011-06** Corrigendum to DIN EN 61000-6-2

DIN EN 61000-6-3:2011-09 Electromagnetic compatibility (EMC) - Part 6-3: Generic standards - Emission standard for

EN 61000-6-3:2007 + A1:2011 residential, commercial and light-industrial environments

DIN EN 61000-6-3 Corrigendum 1:2012-11 Corrigendum to DIN EN 61000-6-3

RoHS Directive (RoHS 2)

DIN EN 50581:2013-02 Technical documentation for the assessment of electrical and electronic products with re-EN 50581:2012 spect to the restriction of hazardous substances

=N 50361.2012 spect to the restriction of nazardous substances

Also they were subjected to the conformity assessment procedure "Internal production control".

The object of the declaration described above is in conformity with Directive 2011/65/EU of the European Parliament and of the Council of 8 June 2011 on the restriction of the use of certain hazardous substances in electrical and electronic equipment.

Sole responsibility for the issue of this declaration of conformity in relation to fulfilment of the fundamental requirements and the production of the technical documents is with the manufacturer.

Manufacturer FISCHER Mess- und Regeltechnik GmbH

Bielefelder Str. 37a

32107 Bad Salzuflen, Germany

Tel. +49 (0)5222 974 0

Documentation representative Mr. Torsten Malischewski

B.Sc

Development department

The devices bear the following marking:

CE

Bad Salzuflen 13 March 2018 p.p. M. Reichler General sales manager







For the product described as follows

Diaphragm pressure gauge **Product designation**

(with transmitter for angular position KE0905#9)

MA15 ... 2D Type designation

it is hereby declared that it corresponds with the basic requirements specified in the following designated directives:

2014/30/EU **EMC** Directive 2014/34/FU ATFX Directive 2011/65/EU RoHS Directive

The products were tested in compliance with the following standards.

Electromagnetic compatibility (EMC)

DIN EN 61000-6-2:2006-03 Electromagnetic compatibility (EMC) - Part 6-2: Generic standards - Immunity for industrial

EN 61000-6-2:2005 environments

DIN EN 61000-6-2 Corrigendum: 2011-06 Corrigendum to DIN EN 61000-6-2

DIN EN 61000-6-3:2011-09

Electromagnetic compatibility (EMC) - Part 6-3: Generic standards - Emission standard for EN 61000-6-3:2007 + A1:2011

residential, commercial and light-industrial environments

DIN EN 61000-6-3 Corrigendum 1:2012-11 Corrigendum to DIN EN 61000-6-3

Explosive atmospheres (ATEX)

DIN EN 60079-0:2014-06 Explosive atmospheres - Part 0: Equipment - General requirements

EN 60079-0:2012 + A11:2013

DIN EN ISO 80079-36:2016-12 Explosive atmospheres - Part 36: Non-electrical equipment for explosive atmospheres - Ba-EN ISO 80079-36:2016 sic method and requirements

DIN EN ISO 80079-37:2016-12 Explosive atmospheres - Part 37: Non-electrical equipment for explosive atmospheres -FN ISO 80079-37:2016

Non-electrical type of protection constructional safety "c", control of ignition sources "b", liquid immersion "k"

RoHS Directive (RoHS 2)

DIN EN 50581:2013-02 Technical documentation for the assessment of electrical and electronic products with re-EN 50581:2012 spect to the restriction of hazardous substances

The dossier is retained under file no. 8000389448 at the notified body NB0044:

TÜV NORD CERT GmbH

Langemarckstraße 20 D-45141 Essen, Germany

The build-in transmitter for angular position is EC type certified: **ZELM 10 ATEX 0427 X**

Also they were subjected to the conformity assessment procedure "Internal production control".

The object of the declaration described above is in conformity with Directive 2011/65/EU of the European Parliament and of the Council of 8 June 2011 on the restriction of the use of certain hazardous substances in electrical and electronic equipment.

Sole responsibility for the issue of this declaration of conformity in relation to fulfilment of the fundamental requirements and the production of the technical documents is with the manufacturer.

Manufacturer FISCHER Mess- und Regeltechnik GmbH

Bielefelder Str. 37a

32107 Bad Salzuflen, Germany

Tel. +49 (0)5222 974 0

Documentation representative Mr. Torsten Malischewski

B.Sc.

Development department

The devices bear the following marking:

Bad Salzuflen

€ SIJ 2G Ex h IIC T4 Gb

G. Gödde

14 Feb 2018 Managing director

09010228 • CE_EN_MA15F_2D • Rev. ST4-A • 03/18